

- [issn.1002-8331.2009.07.054](http://dx.doi.org/10.1002-8331.2009.07.054)]
- 4 冯杰飞, 韩慧健. 基于非均匀 B 样条插值算法的图像放大. 计算机应用, 2010, 30(1): 82–84, 89.
 - 5 Mishiba K, Ikehara M, Yoshitome T. Content aware image resizing with constraint of object aspect ratio preservation. IEICE Transactions on Information and Systems, 2013, E96-D(11): 2427–2436. [doi: [10.1587/transinf.E96.D.2427](http://dx.doi.org/10.1587/transinf.E96.D.2427)]
 - 6 Niu YZ, Liu F, Li XQ, *et al.* Image resizing via non-homogeneous warping. Multimedia Tools and Applications, 2012, 56(3): 485–508. [doi: [10.1007/s11042-010-0613-0](http://dx.doi.org/10.1007/s11042-010-0613-0)]
 - 7 Avidan S, Shamir A. Seam carving for content-aware image resizing. ACM Transactions on Graphics, 2007, 26(3): 10. [doi: [10.1145/1276377](http://dx.doi.org/10.1145/1276377)]
 - 8 Choi J, Kim C. Sparse seam-carving for structure preserving image retargeting. Luwer Academic Publishe, 2016, 85(2): 275–283.
 - 9 邹盼盼, 陆平, 朱恒亮, 等. 基于主体区域保持的图像缩放算法. 图学学报, 2016, 37(2): 230–236.
 - 10 林晓, 沈洋, 马利庄, 等. 显著物体形状结构保持的图像缩放方法. 计算机科学, 2014, 41(12): 288–292. [doi: [10.11896/j.issn.1002-137X.2014.12.062](http://dx.doi.org/10.11896/j.issn.1002-137X.2014.12.062)]
 - 11 宋蓓蓓, 韦娜. FCM 分割和形态学的沥青路面图像裂缝提取. 计算机工程与应用, 2013, 49(4): 31–34. [doi: [10.3778/j.issn.1002-8331.1208-0201](http://dx.doi.org/10.3778/j.issn.1002-8331.1208-0201)]
 - 12 文立. 改进的灰度校正算法在路面裂缝图像预处理中应用. 计算机系统应用, 2015, 24(2): 220–223. [doi: [10.3969/j.issn.1003-3254.2015.02.041](http://dx.doi.org/10.3969/j.issn.1003-3254.2015.02.041)]
 - 13 Yang W, Xiao ZT, Wang QJ, *et al.* A method for improving the definition of scene in fog image. 2009 International Conference on Computational Intelligence and Software Engineering. Wuhan, China. 2009. 1–4.